


450 Serie

Assembled **stack** light



Pre-assembled compact stack light with reduced diameter (Ø 45 mm).

Available in different colour combinations in compliance with the rules in force.

They are equipped with a **multi-channel alarm** of great power.

Assembled stack light facilitate the management of the warehouse and simplify the issue of orders.

Technical features

Compliance

Directive CEE 2014/35 Low voltage - Directive CEE 2014/30
Electromagnetic compatibility - Directive CEE 2006/42 Machinery

Conformity to standards

EN 60947.5.1 - EN 60204.1 - EN 60073 - EN 60529 -
EN 60068.2.6 - EN60068-2-27 - EN ISO 7731 - EN 981 - IEC 536

Material

Polycarbonate (PC)

Operating voltage

24 V DC (+/- 10%)

Current

40 mA per unit

Protection degree

IP 64 (if correctly assembled)

Protection against electric shock

class II, safety insulation (IEC 536)

Resistance to vibrations

2 day min (10-150 Hz)

Operating temperature

- 20° C + 50° C

Units color



Number of combinable units

max 6 - 5 light modules and 1 audible unit

Multichannel alarm

2 tones, intermittent or continuous. 80 dB one meter

Connections

with screw cable clamp (max 1,5 mm²)

Customize your stack light...



Codes and data for ordering	Units color	Codes and data for ordering	Units color
FAL1YB 2	●	FAL3AB 532*	● ● ●
FAL1AB 3*	●	FAL4YB 5632	● ● ● ●
FAL2YB 52	● ●	FAL4AB 5632*	● ● ● ●
FAL2AB 52*	● ●	FAL5YB 95632	○ ● ● ● ●
FAL3YB 532	● ● ●	FAL5AB 95632*	○ ● ● ● ●

* with sound




Available in any other **colour** combinations





Version with neutral units and **colored** lens.
No phantom effect. Eye-catching design.

Code structure...



In the end of code is possible to add...



* It is possible to add C5 and CF codes only to codes 01, T1, 02, T2, 03.



Compose your stack light



max **5** COLORS
+ SOUND



Audible unit
Intermittent or continuous.
Remote change tone


Light grey
terminal unit

Black
terminal unit

T1

T2

Accessories



ClickClack
Quick removal unit
Find out more ...